



Nicolas Cherroret

MAIN MENU

- Presentation
- Program
- List of talks & Posters
- How to come

MY SPACE

- My Space
- My submissions
- My registration
- Editorial Management
- Submissions
- Submissions type
- Topic
- Configuration
- Consultation privileges
- Export of papers to HAL
- Reviewing
- Program
- Mailing management
- Registration management
- Website
- Administration

HELP

- @ Contact
- @ Technical contact

EDITORIAL MANAGEMENT > SUBMISSIONS

[sciencesconf.org/complexe2024:592811](https://sciencesconf.org/complexe2024:592811)

## Nonequilibrium repolarisation and light thermalisation in single mode optical fibers

Lucas Zanaglia<sup>1,@</sup>, Josselin Garnier<sup>2,@</sup>, Adrien Fusaro<sup>3</sup>, Xu Gang<sup>4,@</sup>, Claire Michel<sup>5,6,@</sup>, Valérie Doya<sup>1</sup>, Guy Millot<sup>6,7,@</sup>, Antonio Picozzi<sup>8,@</sup>

- 1 : Université Côte d'Azur, CNRS, Institut de Physique de Nice (INPHYNI)  
CNRS : UMR7010
- 2 : Centre de Mathématiques Appliquées de l'Ecole polytechnique  
Center of Applied Mathematics (CMAP), École Polytechnique, CNRS, Institut Polytechnique de Paris, France
- 3 : ICB, CNRS, Université Bourgogne Franche-Comté, Dijon  
ICB : CNRS, Université Bourgogne Franche-Comté
- 4 : Hangzhou Dianzi University
- 5 : Institut de Physique de Nice, Université Côte d'Azur, Nice, France  
CNRS : UMR7010
- 6 : Institut Universitaire de France  
Institut Universitaire de France, Paris, France
- 7 : Laboratoire Interdisciplinaire Carnot de Bourgogne (ICB)  
Université de Bourgogne  
9 Av. A. Savary, BP 47870 F-21078 DIJON Cedex, FRANCE - France
- 8 : Laboratoire Interdisciplinaire Carnot de Bourgogne (ICB)  
UMR 6303 CNRS-Université de Bourgogne Franche-Comté, BP 47870, F-21078 Dijon Cedex

In analogy to dilute classical gasses where thermalisation occurs irreversibly due to collisions between particles, optical waves can exhibit a phenomenon of thermalisation thanks to non-linear interactions. These classical waves thus evolve toward the equilibrium distribution of Rayleigh-Jeans, as recently shown in numerical and experimental studies considering multimode optical fibres.

Thanks to numerical simulations, we predict that wave thermalisation also occurs in a single mode fiber, when temporal effects (non-monochromatic wave) are involved. In this specific case, thermalisation induces a self-polarisation effect of the incident unpolarised light along the propagation inside the fiber. By following a wave turbulence approach, we derive a kinetic equation whose numerical simulations are found in good agreement with the Non-Linear Schrödinger Equation (NLSE) simulations for the considered system. This wave turbulence description clearly shows that maximisation of entropy (or "disorder") is reached when light is highly polarised. The experiment aimed at observing the phenomenon is in progress. Aside from fundamental aspects, this study also provides results eventually useful in order to get polarised light from an incoherent unpolarised beam without loss of energy.

Subject : Posters  
Topics :  
PDF version : [PDF version](#)

Submission history (+)

Request changes to the contributor by email (+)

annotated (+)

Actions

Submissions type selected

Select the submission type held for this document

Posters

Topic selected

Select the topic held for this document

Comment

Comment, for the contributor, accessible in the page "Mailing management > Templates > Email templates related to the submission" by the tag %%PAPER\_COMMENT%%

Rich text editor toolbar with options for Bold, Italic, Underline, Paragraph, Font Family, Font Size, and other formatting tools.

Accept Refuse Delete Save comment Back